

# General PIPE CLEANERS

*For the Hardware – Home Center Market*



*Pipe Cleaning Tools since 1930*

# General PIPE CLEANERS

## Premium Drain Auger

Increase drain auger sales by ordering them with these attractive tamper-resistant plastic display bags. Complete directions on the back in English, French and Spanish. These models have professional-type sliding crank handles with smoothly working hand grips. This feature gives the augers a more attractive, high quality appearance.

The handle is formed from heavy-wall tubing and the thumb screw is 1/2" (13 mm) long x 1/4" (6 mm) for solid gripping without thread stripping. In addition, the handle has a good offset for greater turning leverage.

Made of high tensile bright wire. 1/4" (6 mm) augers have basin plug head for easy threading through strainer crossbars. 3/8" (10 mm) and 1/2" (13 mm) augers have large bulb-shaped corkscrew boring head.



PQH



PMH



Premium Handle

	Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1/4" (6 mm) Diameter For Small Lines	8PQH	0-93122-61018-9	8 ft. (2.4 m)	24	31 lbs. (14 kg)
	15PQH	0-93122-61020-2	15 ft. (4.6 m)	24	47 lbs. (21 kg)
	25PQH	0-93122-61021-9	25 ft. (7.6 m)	12	39 lbs. (18 kg)
3/8" (10 mm) Diameter For 2" – 3" Lines	25PMH	0-93122-61042-4	25 ft. (7.6 m)	6	39 lbs. (18 kg)
	35PMH	0-93122-61043-1	35 ft. (10.6 m)	6	53 lbs. (24 kg)
	50PMH	0-93122-61044-8	50 ft. (15.2 m)	3	36 lbs. (16 kg)
1/2" (13 mm) Diameter For 2" – 4" Lines	25PLH	0-93122-61064-6	25 ft. (7.6 m)	6	52 lbs. (24 kg)
	50PLH	0-93122-61066-0	150 ft. (15.2 m)	3	51 lbs. (23 kg)
	100PLH	0-93122-61068-4	100 ft. (30.5 m)	1	34 lbs. (15 kg)

## Economy Drain Auger

Economy augers have the same style springs as the premium augers, but the handles do not have sliding hand grips. With attractive tamper resistant plastic display bags. Complete tri-lingual directions on back.



PQZ

	Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1/4" (6 mm) Diameter For Small Lines	8PQZ	0-93122-61121-6	8 ft. (2.4 m)	24	28 lbs. (13 kg)
	15PQZ	0-93122-61122-3	15 ft. (4.6 m)	24	44 lbs. (20 kg)
	25PQZ	0-93122-61123-0	25 ft. (7.6 m)	12	34 lbs. (15 kg)
3/8" (10 mm) Diameter For 2" – 3" Lines	25PMZ	0-93122-61145-2	25 ft. (7.6 m)	6	32 lbs. (15 kg)
	35PMZ	0-93122-61146-9	35 ft. (10.6 m)	6	48 lbs. (22 kg)
	50PMZ	0-93122-61147-6	50 ft. (15.2 m)	3	30 lbs. (14 kg)
1/2" (13 mm) Diameter For 2" – 4" Lines	25PLZ	0-93122-61166-7	25 ft. (7.6 m)	6	58 lbs. (26 kg)
	50PLZ	0-93122-61168-1	50 ft. (15.2 m)	3	55 lbs. (25 kg)
	100PLZ	0-93122-61170-4	100 ft. (30.5 m)	1	37 lbs. (17 kg)

# For the Hardware – Home Center Market

## Steel Drum Spin-Thru™

A cleaner way to open clogged drains. The 1/4" (6 mm) spring is fed out of the drum into the line, keeping it away from clean kitchen and bathroom surfaces. SM models have a rugged steel drum and a "T" grip handle for more convenient use in laundry tubs. Complete directions on back of card. Also available individually boxed.



Catalog Number	UPC	Length	Weight per 6 Pack Carton
P-15SM	0-93122-63012-5	15 ft. (4.6 m)	23 lbs. (10 kg)
P-25SM	0-93122-63013-2	25 ft. (7.6 m)	27 lbs. (12 kg)

## Power Spin-Thru™

A great drain cleaner upgrade: our steel drum Spin-Thru is equipped with a spindle so it can be attached to an electric drill. Supplied with display card with complete directions on back. Also available individually boxed.



Catalog Number	UPC	Length	Weight per 6 Pack Carton
CP-15SM	0-93122-63232-7	15 ft. (4.6 m)	22 lbs. (10 kg)
CP-25SM	0-93122-63233-4	25 ft. (7.6 m)	28 lbs. (13 kg)

## Plastic Spin-Thru™

Drum is molded from attractive high density orange plastic. A surprisingly durable unit at a surprisingly low price. Complete directions on back of card. Also available with 3/8" x 25 ft. (9 mm x 7.6 m) spring.



Catalog Number	UPC	Length	Weight per 6 Pack Carton
15PL	0-93122-63208-2	15 ft. (4.6 m)	16 lbs. (7 kg)
25PL	0-93122-63209-9	25 ft. (7.6 m)	23 lbs. (10 kg)
3/8 – 25PL	0-93122-63215-0	25 ft. (7.6 m)	38 lbs. (17 kg)

## Plastic Power Spin-Thru™

Identical to the Plastic Spin-Thru to the left, but with a spindle inserted at the back so it can be used with an electric drill. Directions are on back of card.



Catalog Number	UPC	Length	Weight per 6 Pack Carton
C-15PL	0-93122-63252-5	15 ft. (4.6 m)	16 lbs. (7 kg)
C-25PL	0-93122-63253-2	25 ft. (7.6 m)	23 lbs. (10 kg)
3/8-C-25PL	0-93122-63265-0	25 ft. (7.6 m)	38 lbs. (17 kg)

## Clog Chaser™

A more compact, economical version of our plastic Spin-Thru. Can hold 25 feet. Has a full-sized thumb screw. Complete directions are on back of card.



Catalog Number	UPC	Length	Weight per 6 Pack Carton
15CL	0-93122-63271-4	15 ft. (4.6 m)	15 lbs. (7 kg)
25CL	0-93122-63218-1	25 ft. (7.6 m)	22 lbs. (10 kg)

## Power Clog Chaser™

Adds an electric drill option to the Clog Chaser. An upgrade that doesn't add much to the price. With card and directions.



Catalog Number	UPC	Length	Weight per 6 Pack Carton
C-15CL	0-93122-63256-3	15 ft. (4.6 m)	15 lbs. (7 kg)
C-25CL	0-93122-63257-0	25 ft. (7.6 m)	22 lbs. (10 kg)

# General PIPE CLEANERS

## Standard Closet Auger

A 3/8" (10 mm) dia. spring and ring for attaching spring when not in use. Plastic bowl guard. Galvanized steel tube is 27" (69 cm) long and 5/8" (16 mm) in dia. Galvanized turning rod.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
3NKH	0-93122-62005-8	3 ft. (.9 m)	12	22 lbs. (10 kg)
6NKH	0-93122-62006-5	6 ft. (1.8 m)	12	28 lbs. (13 kg)

## Deluxe Closet Auger

A 7/16" (11 mm) dia. spring. Equipped with plastic grip handle and bowl guard. Galvanized steel tube is 30" (76 cm) long and 3/4" (19 mm) in dia. Galvanized turning rod.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
3RB	0-93122-62007-2	3 ft. (.9 m)	12	30 lbs. (14 kg)
6RB	0-93122-62008-9	6 ft. (1.8 m)	12	38 lbs. (18 kg)

## Utility Closet Auger

A real upgrade from the above models; has a big 1/2" (13 mm) dia. spring, 34" (86 cm) long, 3/4" (19 mm) powder coated steel tube and 3/8" (10 mm) dia. Galvanized turning rod. Equipped with heavy vinyl grip handle and bowl guard.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
3PJH	0-93122-62013-3	3 ft. (.9 m)	6	21 lbs. (10 kg)
3JH	0-93122-62012-6	less card 3 ft. (.9 m)	6	20 lbs. (10 kg)

## Professional Closet Auger

The choice of plumbers and maintenance personnel. Guaranteed for a full year. Has a wire rope center core with two layers of spring wire coiled over it. Die cast aluminum handle. With card.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
P3FL	0-93122-62021-8	3 ft. (.9 m)	6	26 lbs. (12 kg)

Double Spring Construction  
Wire Rope Center



3RB



P3FL



3NKH



3PJH

# For the Hardware – Home Center Market




## Drill Snake

An innovative tool that attaches to an electric drill. The snake is encased in a plastic tube that remains stationary as the snake is rotated by an electric drill. For safety, the unit is equipped with an automatic clutch that slips if the boring head gets caught in the line.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
DS15	0-93122-63222-8	15 ft. (4.6 m)	6	10 lbs. (5 kg)
DS25	0-93122-63223-5	25 ft. (7.6 m)	6	18 lbs. (8 kg)

## Flat Sewer Rod

Made from non-kinkable, high carbon, oil tempered steel. Equipped with aluminum grip handle and steel spear head. The 1/4" (6 mm) x 1/16" (2 mm) size is furnished with flexible spring head and adjustable wood grip handle.



	Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1/4" (6 mm) x 1/16" (2 mm) (For Small Pipes)	25AH	0-93122-64007-0	25 ft. (7.6 m)	6	12 lbs. (6 kg)
	50AH	0-93122-64008-7	50 ft. (15.2 m)	6	21 lbs. (10 kg)
	25BH	0-93122-64012-4	25 ft. (7.6 m)	4	17 lbs. (8 kg)
1/2" (13 mm) x 1/16" (2 mm) (For 2" to 3" Medium Pipes)	50BH	0-93122-64013-1	50 ft. (15.2 m)	4	27 lbs. (13 kg)
	75BH	0-93122-64014-8	75 ft. (22.9 m)	4	38 lbs. (18 kg)
	100BH	0-93122-64015-5	100 ft. (30.5 m)	4	50 lbs. (23 kg)
	25CH	0-93122-64018-6	25 ft. (7.6 m)	4	21 lbs. (10 kg)
3/4" (19 mm) x 1/16" (2 mm) (For 2" to 4" Pipes)	50CH	0-93122-64019-3	50 ft. (15.2 m)	4	37 lbs. (17 kg)
	75CH	0-93122-64020-9	75 ft. (22.9 m)	4	54 lbs. (25 kg)
	100CH	0-93122-64021-6	100 ft. (30.5 m)	4	70 lbs. (32 kg)
	25DH	0-93122-64024-7	25 ft. (7.6 m)	1	10 lbs. (5 kg)
3/4" (19 mm) x 1/8" (3 mm) (For 4" to 6" Pipes)	50DH	0-93122-64025-4	50 ft. (15.2 m)	1	18 lbs. (8 kg)
	75DH	0-93122-64026-1	75 ft. (22.9 m)	1	26 lbs. (12 kg)
	100DH	0-93122-64027-8	100 ft. (30.5 m)	1	34 lbs. (15 kg)
<b>Extra Parts</b>		<b>UPC</b>	<b>Standard Pack</b>		
1-HSH Spear Head for BH and CH Rods		0-93122-64036-0	1		
2-HSH Spear Head for DH Rods		0-93122-64037-7	1		

## Flat Drain Cleaner

For small drains. The open-wound spring head threads through strainer crossbars; is coiled from rust-resistant galvanized wire. The 1/4" (6 mm) x 1/32" (1 mm) oil tempered flat spring is flexible enough to go through a P-trap. Supplied with 10" (25 cm) holder; rewinds after use.



Catalog Number	UPC	Length	Standard Pack	Weight per Carton
25PHO	0-93122-64003-2	25 ft. (7.6 m)	36	35 lbs. (16 kg)
50PHO	0-93122-64004-9	50 ft. (15.2 m)	36	58 lbs. (26 kg)



## Drain Flusher

Opens clogged drains with water pressure. Just attach to garden hose and slide Drain Flusher into drain. Water expands Flusher to size of pipe. Then water pressure pushes stoppage down the line. Equipped with backflow preventer on the inlet side.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1.5DFH	0-93122-45101-0	1-1/2"	4	1-3/4 lbs. (1 kg)
2.5DFH	0-93122-45102-7	2-1/2"	4	2 lbs. (1 kg)
3DFH	0-93122-45103-4	3"	4	3 lbs. (2 kg)
4DFH	0-93122-45104-1	4"	4	3-1/2 lbs. (2 kg)

## Flood-Guard™

Prevents basement flooding. Operates like a check valve to seal off water back-up caused by overloaded sewers. Water flows normally through the drain until the sewer begins to back up. Then the Flood-Guard float rises to seal off the drain opening until the water recedes. Installed in minutes. For extreme, extended pressure (for instance, where homemade seals have popped out of line), we recommend our standpipe models.



Float Model

Gaskets are made of molded rubber, and all metal parts are plated or stainless steel.

Catalog Number	UPC	Pack	Weight per Carton
2FH 2" (51 mm) Float Model	0-93122-65000-0	4	1 lb. (.5 kg)
3FH 3" (76 mm) Float Model	0-93122-65001-7	6	3 lbs. (1.5 kg)
4FH 4" (10 cm) Float Model	0-93122-65002-4	6	6 lbs. (3 kg.)
S-3FH 3" (76 mm) Standpipe Model	0-93122-65003-1	6	2-1/2 lbs. (1 kg)
S-4FH 4" (10 cm) Standpipe Model	0-93122-65004-8	6	7-1/2 lbs. (4 kg)



Stand Pipe Model

## SuperSlice™ Plastic Tubing Cutter

Patented V-point blade pierces hard or soft plastic tubing, then slices through to give a clean, easy cut with virtually no tube deformation. Cuts up to 1" (25mm) diameter.

Catalog Number	UPC	Pack	Weight per Carton
SUS SuperSlice Tubing Cutter	0-93122-45321-2	10	5 lbs. (2.3 kg)





## Power Line

### BD Drain Gun

For sinks, shower drains, and laundry tubs. Has tough but flexible heat-treated cables, sure grip chuck, rust-proof aluminum drum, and convenient grip shield.



Catalog Number	UPC	Weight per Carton
BDJ with 25 ft. x 1/4" wire rope center cable	0-93122-10282-0	12 lbs. (5 kg)

### Little Mike™

This machine is very similar to the Micro-Rooter above but has a smaller drum with a thumb screw for gripping the cable. You get power drain cleaning at a very reasonable price.



Catalog Number	UPC	Weight per Carton
LMB with 50 ft. x 5/16" wire rope center cable	0-93122-11188-4	24 lbs. (11 kg)

### Micro Rooter™

For inside lines up through 3" in diameter. Drum holds 50 ft. x 3/8" wire rope center cable and has a Jacobs hand-tight chuck. Drum can be removed in seconds. Machine has pneumatic foot pedal for safety and speed control.



Catalog Number	UPC	Weight per Carton
MI50AC with 50 ft. x 3/8" wire rope center cable and Jacobs Chuck	0-93122-11181-5	33 lbs. (15 kg)

## Professional Line

## Rental Line

General also manufactures drain cleaning equipment for professional and rental use. Ask for catalogs on these lines.



**General**  
PIPE CLEANERS  
[www.drainbrain.com](http://www.drainbrain.com)

**General Wire Spring Co.**

1101 Thompson Avenue  
McKees Rocks, PA 15136 USA  
800-245-6200 or 412-771-6300  
Fax: 412-771-2771

★ MADE IN USA ★